

Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2003 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at <http://www.pubs.asce.org/cedbsrch.html>.

Acids

Laboratory Pilot Test of Chromium (III) Isolation from Acid Extract of Tannery Sludge. —S. B. Shen, R. D. Tyagi, R. Y. Surampalli, and J. F. Blais; 7(1), 59-65 (2003).

Activated carbon

Stabilization/Solidification of High Mercury Wastes with Reactivated Carbon. —Jian Zhang and Paul L. Bishop; 7(1), 31-6 (2003).

Adsorption-Desorption Rate of Nonpolar Volatile Organic Compounds onto Activated Carbon Exemplified by C_6H_6 and CCl_4 . —C. L. Chuang, P. C. Chiang, E. E. Chang, and C. P. Huang; 7(3), 148-55 (2003).

Removal of Oil and Grease and Chemical Oxygen Demand from Oily Automotive Wastewater by Adsorption after Chemical De-emulsification. —Sherry A. Mueller, Byung R. Kim, James E. Anderson, Abizer Gaslightwala, Michael J. Szafranski, and William A. Gaines; 7(3), 156-62 (2003).

Control of Total Chloro-s-Triazines in Conventional Drinking Water Treatment Plants. —C. D. Adams; 7(4), 281-8 (2003).

Adsorbents

Removal of Oil and Grease and Chemical Oxygen Demand from Oily Automotive Wastewater by Adsorption after Chemical De-emulsification. —Sherry A. Mueller, Byung R. Kim, James E. Anderson, Abizer Gaslightwala, Michael J. Szafranski, and William A. Gaines; 7(3), 156-62 (2003).

Adsorption

Adsorption-Desorption Rate of Nonpolar Volatile Organic Compounds onto Activated Carbon Exemplified by C_6H_6 and CCl_4 . —C. L. Chuang, P. C. Chiang, E. E. Chang, and C. P. Huang; 7(3), 148-55 (2003).

Removal of Oil and Grease and Chemical Oxygen Demand from Oily Automotive Wastewater by Adsorption after Chemical De-emulsification. —Sherry A. Mueller, Byung R. Kim, James E. Anderson, Abizer Gaslightwala, Michael J. Szafranski, and William A. Gaines; 7(3), 156-62 (2003).

Air pollution

Statistical Prediction of Atmospheric Corrosion from Atmospheric-Pollution Parameters. —Sabah A. Abdul-Wahab; 7(3), 190-200 (2003).

Analytical techniques

Analytical Methods Used to Measure Endocrine Disrupting Compounds in Water. —S. Snyder, B. Vanderford, R. Pearson, O. Quiñones, and Y. Yoon; 7(4), 224-34 (2003).

Aquifers

Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. I: Simulation Analysis. —Hung-Kl Yen, Ni-Bin Chang, and Tsair-Fuh Lin; 7(2), 114-30 (2003).

Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. II: Optimization Analysis. —Hung-Kl Yen and Ni-Bin Chang; 7(2), 131-8 (2003).

Barrier design

Design, Construction, and Operation of Tailored Permeable Reactive Barriers. —Volker Birke, Harald Burmeier, and Diana Rosenau; 7(4), 264-80 (2003).

Barriers

Innovative Waste Containment Barriers for Subsurface Pollution Control. —Irene M.-C. Lo; 7(1), 37-45 (2003).

Geotechnical Study for Hydraulic Barrier System at Tailings Pond. —Manoj Datta; 7(3), 163-9 (2003).

Bentonite

Innovative Waste Containment Barriers for Subsurface Pollution Control. —Irene M.-C. Lo; 7(1), 37-45 (2003).

Biological treatment

Total and Volatile Polyaromatic Hydrocarbon Losses during Aerobic Slurry Phase Biotreatment. —Julian L. Fairley and Raymond C. Loehr; 7(3), 182-9 (2003).

Biological Wastewater Treatment and Estrogenic Endocrine Disrupting Compounds: Importance of Colloid Organic Carbon. —R. David Holbrook, Nancy G. Love, and John T. Novak; 7(4), 289-96 (2003).

Cadmium

Effect of Soil Stress on Cadmium Transport in Saturated Soils. —Irene M. C. Lo, Jianhong Zhang, Liming Hu, and Shanzhi Shu; 7(3), 170-6 (2003).

Canada

Inexact Multiphase Modeling System for the Management of Subsurface Contamination under Uncertainty. —Imran Maqsood, Jian-Bing Li, and Guo H. Huang; 7(2), 86-94 (2003).

Carbonation

Statistical Prediction of Atmospheric Corrosion from Atmospheric-Pollution Parameters. —Sabah A. Abdul-Wahab; 7(3), 190-200 (2003).

Chemical oxygen demand

Removal of Oil and Grease and Chemical Oxygen Demand from Oily Automotive Wastewater by Adsorption after Chemical De-emulsification. —Sherry A. Mueller, Byung R. Kim, James E. Anderson, Abizer Gaslightwala, Michael J. Szafranski, and William A. Gaines; 7(3), 156-62 (2003).

Chemicals

Occurrence and Effects of Endocrine Disrupting Chemicals in the Environment. —Yue-wern Huang, Dirac L. Twidwell, and Jason C. Elrod; 7(4), 241-52 (2003).

Chlorides

Statistical Prediction of Atmospheric Corrosion from Atmospheric-Pollution Parameters. —Sabah A. Abdul-Wahab; 7(3), 190-200 (2003).

Chromium

Laboratory Pilot Test of Chromium (III) Isolation from Acid Extract of Tannery Sludge. —S. B. Shen, R. D. Tyagi, R. Y. Surampalli, and J. F. Blais; 7(1), 59-65 (2003).

Clay soils

Removal of Trichloroethylene from Clay Soil by Series-Electrokinetic Process. —Chih-Huang Weng, Ching Yuan, and Hung-Hsu Tu; 7(1), 25-30 (2003).

Clays

Innovative Waste Containment Barriers for Subsurface Pollution Control. —Irene M.-C. Lo; 7(1), 37-45 (2003).

Color

Evaluation of Color Changes in Sewage Sludge Ash Brick by Using Image Analysis Method. —Huan-Lin Luo and Deng-Fong Lin; 7(4), 214-23 (2003).

Containment

Waste Immobilization Technologies. —Jay N. Meegoda, A. S. Ezeldin, Hsai-Yang Fang, and Hilary I. Inyang; 7(1), 46-58 (2003).

Contaminants

Total and Volatile Polyaromatic Hydrocarbon Losses during Aerobic Slurry Phase Biotreatment. —Julian L. Fairley and Raymond C. Loehr; 7(3), 182-9 (2003).

Contamination

Removal of Trichloroethylene from Clay Soil by Series-Electrokinetic Process. —Chih-Huang Weng, Ching Yuan, and Hung-Hsu Tu; 7(1), 25-30 (2003).

Inexact Multiphase Modeling System for the Management of Subsurface Contamination under Uncertainty. —Imran Maqsood, Jian-Bing Li, and Guo H. Huang; 7(2), 86-94 (2003).

Corrosion

Statistical Prediction of Atmospheric Corrosion from Atmospheric-Pollution Parameters. —Sabah A. Abdul-Wahab; 7(3), 190-200 (2003).

Decision making

Using the Analytic Hierarchy Process for Selecting an Appropriate Fate and Transport Model for Risk-Based Decision Making at Hazardous Waste Sites. — Venkatesh Uddameri; 7(2), 139-46 (2003).

Desorption

Adsorption-Desorption Rate of Nonpolar Volatile Organic Compounds onto Activated Carbon Exemplified by C_6H_6 and CCl_4 . — C. L. Chuang, P. C. Chiang, E. E. Chang, and C. P. Huang; 7(3), 148-55 (2003).

Digital techniques

Evaluation of Color Changes in Sewage Sludge Ash Brick by Using Image Analysis Method. — Huan-Lin Luo and Deng-Fong Lin; 7(4), 214-23 (2003).

Drains

Waste Immobilization Technologies. — Jay N. Meegoda, A. S. Ezeldin, Hsai-Yang Fang, and Hilary I. Inyang; 7(1), 46-58 (2003).

Effluents

Occurrence and Degradation of Estrogenic Non-ylphenol and its Precursors in Northeast Kansas Wastewater Treatment Plants. — Heather Keller, Kang Xia, and Alok Bhandari; 7(4), 203-13 (2003).

Electrical conductivity

Detecting Landfill Leachate Contamination Using Soil Electrical Properties. — J. Q. Shang and R. K. Rowe; 7(1), 3-11 (2003).

Electrokinetics

Removal of Trichloroethylene from Clay Soil by Series-Electrokinetic Process. — Chih-Huang Weng, Ching Yuan, and Hung-Hsu Tu; 7(1), 25-30 (2003).

Environmental impact

Occurrence and Effects of Endocrine Disrupting Chemicals in the Environment. — Yue-wern Huang, Dirac L. Twidwell, and Jason C. Elrod; 7(4), 241-52 (2003).

Extraction procedures

Numerical Simulation of Dual-Phase Vacuum Extraction to Remove Nonaqueous Phase Liquids in Subsurface. — Jian-Bing Li, G. H. Huang, Amit Chakma, and Guang-Ming Zeng; 7(2), 106-13 (2003).

Filtration

Control of Total Chloro-s-Triazines in Conventional Drinking Water Treatment Plants. — C. D. Adams; 7(4), 281-8 (2003).

Germany

Occurrence of Endocrine-Disrupting and Other Wastewater Compounds during Water Treatment with Case Studies from Lincoln, Nebraska and Berlin, Germany. — Ingrid M. Verstraeten, Thomas Heberer, Jason R. Vogel, Thomas Speth, Sebastian Zuehlke, and Uwe Duennbier; 7(4), 253-63 (2003).

Design, Construction, and Operation of Tailored Permeable Reactive Barriers. — Volker Birke, Harald Burmeier, and Diana Rosenau; 7(4), 264-80 (2003).

Ground-water pollution

Numerical Simulation of Dual-Phase Vacuum Extraction to Remove Nonaqueous Phase Liquids in Subsurface. — Jian-Bing Li, G. H. Huang, Amit Chakma, and Guang-Ming Zeng; 7(2), 106-13 (2003).

Bioslurping Model for Assessing Light Hydrocar-

bon Recovery in Contaminated Unconfined Aquifer. I: Simulation Analysis. — Hung-Kl Yen, Ni-Bin Chang, and Tsair-Fuh Lin; 7(2), 114-30 (2003).

Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. II: Optimization Analysis. — Hung-Kl Yen and Ni-Bin Chang; 7(2), 131-8 (2003).

Geotechnical Study for Hydraulic Barrier System at Tailings Pond. — Manoj Datta; 7(3), 163-9 (2003).

Systems Analysis of Pump-and-Treat Groundwater Remediation. — Thomas L. Theis, Denis M. O'Carroll, Dianne C. Vogel, Amy B. Lane, and Karen Collins; 7(3), 177-81 (2003).

Design, Construction, and Operation of Tailored Permeable Reactive Barriers. — Volker Birke, Harald Burmeier, and Diana Rosenau; 7(4), 264-80 (2003).

Hazardous waste

Multicriteria Risk Analysis and Optimization of Regional Hazardous Waste Management System. — A. K. Nema and S. K. Gupta; 7(2), 69-77 (2003).

Multicriteria Optimization for Infectious Medical Waste Collection System Planning. — Li-Hsing Shih and Yung-Teh Lin; 7(2), 78-85 (2003).

Using the Analytic Hierarchy Process for Selecting an Appropriate Fate and Transport Model for Risk-Based Decision Making at Hazardous Waste Sites. — Venkatesh Uddameri; 7(2), 139-46 (2003).

Heavy metals

Analysis of Heavy Metal Contaminated Soils. — Coby S. C. Wong and Xiangdong Li; 7(1), 12-8 (2003).

Effect of Soil Stress on Cadmium Transport in Saturated Soils. — Irene M. C. Lo, Jianhong Zhang, Liming Hu, and Shanzhi Shu; 7(3), 170-6 (2003).

Hospitals

Multicriteria Optimization for Infectious Medical Waste Collection System Planning. — Li-Hsing Shih and Yung-Teh Lin; 7(2), 78-85 (2003).

Hydrocarbons

Numerical Simulation of Dual-Phase Vacuum Extraction to Remove Nonaqueous Phase Liquids in Subsurface. — Jian-Bing Li, G. H. Huang, Amit Chakma, and Guang-Ming Zeng; 7(2), 106-13 (2003).

Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. I: Simulation Analysis. — Hung-Kl Yen, Ni-Bin Chang, and Tsair-Fuh Lin; 7(2), 114-30 (2003).

Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. II: Optimization Analysis. — Hung-Kl Yen and Ni-Bin Chang; 7(2), 131-8 (2003).

Imaging techniques

Evaluation of Color Changes in Sewage Sludge Ash Brick by Using Image Analysis Method. — Huan-Lin Luo and Deng-Fong Lin; 7(4), 214-23 (2003).

India

Geotechnical Study for Hydraulic Barrier System at Tailings Pond. — Manoj Datta; 7(3), 163-9 (2003).

Industrial wastes

Laboratory Pilot Test of Chromium (III) Isolation from Acid Extract of Tannery Sludge. — S. B. Shen, R. D. Tyagi, R. Y. Surampalli, and J. F. Blais; 7(1), 59-65 (2003).

Influents

Occurrence and Degradation of Estrogenic Non-ylphenol and its Precursors in Northeast Kansas Wastewater Treatment Plants. — Heather Keller, Kang Xia, and Alok Bhandari; 7(4), 203-13 (2003).

Kansas

Occurrence and Degradation of Estrogenic Non-ylphenol and its Precursors in Northeast Kansas Wastewater Treatment Plants. — Heather Keller, Kang Xia, and Alok Bhandari; 7(4), 203-13 (2003).

Kinetics

Adsorption-Desorption Rate of Nonpolar Volatile Organic Compounds onto Activated Carbon Exemplified by C_6H_6 and CCl_4 . — C. L. Chuang, P. C. Chiang, E. E. Chang, and C. P. Huang; 7(3), 148-55 (2003).

Landfills

Detecting Landfill Leachate Contamination Using Soil Electrical Properties. — J. Q. Shang and R. K. Rowe; 7(1), 3-11 (2003).

Innovative Waste Containment Barriers for Subsurface Pollution Control. — Irene M.-C. Lo; 7(1), 37-45 (2003).

Leachates

Detecting Landfill Leachate Contamination Using Soil Electrical Properties. — J. Q. Shang and R. K. Rowe; 7(1), 3-11 (2003).

Matrix methods

Using the Analytic Hierarchy Process for Selecting an Appropriate Fate and Transport Model for Risk-Based Decision Making at Hazardous Waste Sites. — Venkatesh Uddameri; 7(2), 139-46 (2003).

Measurement

Analytical Methods Used to Measure Endocrine Disrupting Compounds in Water. — S. Snyder, B. Vanderford, R. Pearson, O. Quiñones, and Y. Yoon; 7(4), 224-34 (2003).

Mercury

Stabilization/Solidification of High Mercury Wastes with Reactivated Carbon. — Jian Zhang and Paul L. Bishop; 7(1), 31-6 (2003).

Metals

Laboratory Pilot Test of Chromium (III) Isolation from Acid Extract of Tannery Sludge. — S. B. Shen, R. D. Tyagi, R. Y. Surampalli, and J. F. Blais; 7(1), 59-65 (2003).

Statistical Prediction of Atmospheric Corrosion from Atmospheric-Pollution Parameters. — Sabah A. Abdul-Wahab; 7(3), 190-200 (2003).

Models

Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. I: Simulation Analysis. — Hung-Kl Yen, Ni-Bin Chang, and Tsair-Fuh Lin; 7(2), 114-30 (2003).

Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. II: Optimization Analysis. — Hung-Kl Yen and Ni-Bin Chang; 7(2), 131-8 (2003).

Using the Analytic Hierarchy Process for Selecting an Appropriate Fate and Transport Model for

- Risk-Based Decision Making at Hazardous Waste Sites. — Venkatesh Uddameri; 7(2), 139-46 (2003).
- Monitoring**
Endocrine Disruptors as a New Regulatory Endpoint. — J. Alan Roberson; 7(4), 235-40 (2003).
- Monte Carlo method**
Inexact Multiphase Modeling System for the Management of Subsurface Contamination under Uncertainty. — Imran Maqsood, Jian-Bing Li, and Guo H. Huang; 7(2), 86-94 (2003).
- Nebraska**
Occurrence of Endocrine-Disrupting and Other Wastewater Compounds during Water Treatment with Case Studies from Lincoln, Nebraska and Berlin, Germany. — Ingrid M. Verstraeten, Thomas Heberer, Jason R. Vogel, Thomas Speth, Sebastian Zuehlke, and Uwe Duennbier; 7(4), 253-63 (2003).
- Nitrates**
Statistical Prediction of Atmospheric Corrosion from Atmospheric-Pollution Parameters. — Sabah A. Abdul-Wahab; 7(3), 190-200 (2003).
- Oils**
Removal of Oil and Grease and Chemical Oxygen Demand from Oily Automotive Wastewater by Adsorption after Chemical De-emulsification. — Sherry A. Mueller, Byung R. Kim, James E. Anderson, Abizer Gaslightwala, Michael J. Szafranski, and William A. Gaines; 7(3), 156-62 (2003).
- Optimization**
Multiobjective Risk Analysis and Optimization of Regional Hazardous Waste Management System. — A. K. Nema and S. K. Gupta; 7(2), 69-77 (2003).
Multicriteria Optimization for Infectious Medical Waste Collection System Planning. — Li-Hsing Shih and Yung-Teh Lin; 7(2), 78-85 (2003).
Integrated Simulation-Optimization Approach for Real-Time Dynamic Modeling and Process Control of Surfactant-Enhanced Remediation at Petroleum-Contaminated Sites. — Y. F. Huang, J. B. Li, G. H. Huang, A. Chakma, and X. S. Qin; 7(2), 95-105 (2003).
Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. I: Simulation Analysis. — Hung-Kl Yen, Ni-Bin Chang, and Tsair-Fuh Lin; 7(2), 114-30 (2003).
Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. II: Optimization Analysis. — Hung-Kl Yen and Ni-Bin Chang; 7(2), 131-8 (2003).
- Organic carbons**
Biological Wastewater Treatment and Estrogenic Endocrine Disrupting Compounds: Importance of Colloid Organic Carbon. — R. David Holbrook, Nancy G. Love, and John T. Novak; 7(4), 289-96 (2003).
- Organic compounds**
Occurrence of Endocrine-Disrupting and Other Wastewater Compounds during Water Treatment with Case Studies from Lincoln, Nebraska and Berlin, Germany. — Ingrid M. Verstraeten, Thomas Heberer, Jason R. Vogel, Thomas Speth, Sebastian Zuehlke, and Uwe Duennbier; 7(4), 253-63 (2003).
- Biological Wastewater Treatment and Estrogenic Endocrine Disrupting Compounds: Importance of Colloid Organic Carbon. — R. David Holbrook, Nancy G. Love, and John T. Novak; 7(4), 289-96 (2003).
- Ozonization**
Control of Total Chloro-s-Triazines in Conventional Drinking Water Treatment Plants. — C. D. Adams; 7(4), 281-8 (2003).
- Petroleum**
Inexact Multiphase Modeling System for the Management of Subsurface Contamination under Uncertainty. — Imran Maqsood, Jian-Bing Li, and Guo H. Huang; 7(2), 86-94 (2003).
- Pollutants**
Analytical Methods Used to Measure Endocrine Disrupting Compounds in Water. — S. Snyder, B. Vanderford, R. Pearson, O. Quiñones, and Y. Yoon; 7(4), 224-34 (2003).
Occurrence and Effects of Endocrine Disrupting Chemicals in the Environment. — Yue-wern Huang, Dirac L. Twidwell, and Jason C. Elrod; 7(4), 241-52 (2003).
Control of Total Chloro-s-Triazines in Conventional Drinking Water Treatment Plants. — C. D. Adams; 7(4), 281-8 (2003).
- Pollution control**
Innovative Waste Containment Barriers for Subsurface Pollution Control. — Irene M.-C. Lo; 7(1), 37-45 (2003).
- Ponds**
Geotechnical Study for Hydraulic Barrier System at Tailings Pond. — Manoj Datta; 7(3), 163-9 (2003).
- Potable water**
Endocrine Disruptors as a New Regulatory Endpoint. — J. Alan Roberson; 7(4), 235-40 (2003).
Occurrence of Endocrine-Disrupting and Other Wastewater Compounds during Water Treatment with Case Studies from Lincoln, Nebraska and Berlin, Germany. — Ingrid M. Verstraeten, Thomas Heberer, Jason R. Vogel, Thomas Speth, Sebastian Zuehlke, and Uwe Duennbier; 7(4), 253-63 (2003).
Control of Total Chloro-s-Triazines in Conventional Drinking Water Treatment Plants. — C. D. Adams; 7(4), 281-8 (2003).
- Process control**
Integrated Simulation-Optimization Approach for Real-Time Dynamic Modeling and Process Control of Surfactant-Enhanced Remediation at Petroleum-Contaminated Sites. — Y. F. Huang, J. B. Li, G. H. Huang, A. Chakma, and X. S. Qin; 7(2), 95-105 (2003).
- Pumps**
Systems Analysis of Pump-and-Treat Groundwater Remediation. — Thomas L. Theis, Denis M. O'Carroll, Dianne C. Vogel, Amy B. Lane, and Karen Collins; 7(3), 177-81 (2003).
- Regression models**
Statistical Prediction of Atmospheric Corrosion from Atmospheric-Pollution Parameters. — Sabah A. Abdul-Wahab; 7(3), 190-200 (2003).
- Regulations**
Endocrine Disruptors as a New Regulatory Endpoint. — J. Alan Roberson; 7(4), 235-40 (2003).
- Remedial action**
Remediation of Contaminated Soils by Surfactant-Aided Soil Washing. — W. Chu; 7(1), 19-24 (2003).
Integrated Simulation-Optimization Approach for Real-Time Dynamic Modeling and Process Control of Surfactant-Enhanced Remediation at Petroleum-Contaminated Sites. — Y. F. Huang, J. B. Li, G. H. Huang, A. Chakma, and X. S. Qin; 7(2), 95-105 (2003).
Numerical Simulation of Dual-Phase Vacuum Extraction to Remove Nonaqueous Phase Liquids in Subsurface. — Jian-Bing Li, G. H. Huang, Amit Chakma, and Guang-Ming Zeng; 7(2), 106-13 (2003).
Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. I: Simulation Analysis. — Hung-Kl Yen, Ni-Bin Chang, and Tsair-Fuh Lin; 7(2), 114-30 (2003).
Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. II: Optimization Analysis. — Hung-Kl Yen and Ni-Bin Chang; 7(2), 131-8 (2003).
Systems Analysis of Pump-and-Treat Groundwater Remediation. — Thomas L. Theis, Denis M. O'Carroll, Dianne C. Vogel, Amy B. Lane, and Karen Collins; 7(3), 177-81 (2003).
Design, Construction, and Operation of Tailored Permeable Reactive Barriers. — Volker Birke, Harald Burmeier, and Diana Rosenau; 7(4), 264-80 (2003).
- Risk analysis**
Multiobjective Risk Analysis and Optimization of Regional Hazardous Waste Management System. — A. K. Nema and S. K. Gupta; 7(2), 69-77 (2003).
- Saturated soils**
Effect of Soil Stress on Cadmium Transport in Saturated Soils. — Irene M. C. Lo, Jianhong Zhang, Liming Hu, and Shanzhi Shu; 7(3), 170-6 (2003).
- Scheduling**
Multicriteria Optimization for Infectious Medical Waste Collection System Planning. — Li-Hsing Shih and Yung-Teh Lin; 7(2), 78-85 (2003).
- Sewage sludge**
Evaluation of Color Changes in Sewage Sludge Ash Brick by Using Image Analysis Method. — Huan-Lin Luo and Deng-Fong Lin; 7(4), 214-23 (2003).
- Simulation**
Inexact Multiphase Modeling System for the Management of Subsurface Contamination under Uncertainty. — Imran Maqsood, Jian-Bing Li, and Guo H. Huang; 7(2), 86-94 (2003).
Integrated Simulation-Optimization Approach for Real-Time Dynamic Modeling and Process Control of Surfactant-Enhanced Remediation at Petroleum-Contaminated Sites. — Y. F. Huang, J. B. Li, G. H. Huang, A. Chakma, and X. S. Qin; 7(2), 95-105 (2003).
Numerical Simulation of Dual-Phase Vacuum Extraction to Remove Nonaqueous Phase Liquids in Subsurface. — Jian-Bing Li, G. H. Huang, Amit Chakma, and Guang-Ming Zeng; 7(2), 106-13 (2003).
Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined

Aquifer. I: Simulation Analysis. — Hung-KI Yen, Ni-Bin Chang, and Tsair-Fuh Lin; 7(2), 114-30 (2003).

Sludge

Laboratory Pilot Test of Chromium (III) Isolation from Acid Extract of Tannery Sludge. — S. B. Shen, R. D. Tyagi, R. Y. Surampalli, and J. F. Blais; 7(1), 59-65 (2003).

Slurries

Total and Volatile Polyaromatic Hydrocarbon Losses during Aerobic Slurry Phase Biotreatment. — Julian L. Fairey and Raymond C. Loehr; 7(3), 182-9 (2003).

Slurry walls

Waste Immobilization Technologies. — Jay N. Meegoda, A. S. Ezeldin, Hsai-Yang Fang, and Hilary I. Inyang; 7(1), 46-58 (2003).

Soil pollution

Detecting Landfill Leachate Contamination Using Soil Electrical Properties. — J. Q. Shang and R. K. Rowe; 7(1), 3-11 (2003).

Analysis of Heavy Metal Contaminated Soils. — Coby S. C. Wong and Xiangdong Li; 7(1), 12-8 (2003).

Removal of Trichloroethylene from Clay Soil by Series-Electrokinetic Process. — Chih-Huang Weng, Ching Yuan, and Hung-Hsu Tu; 7(1), 25-30 (2003).

Effect of Soil Stress on Cadmium Transport in Saturated Soils. — Irene M. C. Lo, Jianhong Zhang, Liming Hu, and Shanzhi Shu; 7(3), 170-6 (2003).

Total and Volatile Polyaromatic Hydrocarbon Losses during Aerobic Slurry Phase Biotreatment. — Julian L. Fairey and Raymond C. Loehr; 7(3), 182-9 (2003).

Soil stresses

Effect of Soil Stress on Cadmium Transport in Saturated Soils. — Irene M. C. Lo, Jianhong Zhang, Liming Hu, and Shanzhi Shu; 7(3), 170-6 (2003).

Soil treatment

Remediation of Contaminated Soils by Surfactant-Aided Soil Washing. — W. Chu; 7(1), 19-24 (2003).

Stabilization/Solidification of High Mercury Wastes with Reactivated Carbon. — Jian Zhang and Paul L. Bishop; 7(1), 31-6 (2003).

Solid waste management

Detecting Landfill Leachate Contamination Using Soil Electrical Properties. — J. Q. Shang and R. K. Rowe; 7(1), 3-11 (2003).

Solidification

Waste Immobilization Technologies. — Jay N. Meegoda, A. S. Ezeldin, Hsai-Yang Fang, and Hilary I. Inyang; 7(1), 46-58 (2003).

Statistical analysis

Statistical Prediction of Atmospheric Corrosion from Atmospheric-Pollution Parameters. — Sabah A. Abdul-Wahab; 7(3), 190-200 (2003).

Subsurface environment

Inexact Multiphase Modeling System for the Management of Subsurface Contamination under Uncertainty. — Imran Maqsood, Jian-Bing Li, and Guo H. Huang; 7(2), 86-94 (2003).

Surface-active agents

Remediation of Contaminated Soils by Surfactant-Aided Soil Washing. — W. Chu; 7(1), 19-24 (2003).

Integrated Simulation-Optimization Approach for Real-Time Dynamic Modeling and Process Control of Surfactant-Enhanced Remediation at Petroleum-Contaminated Sites. — Y. F. Huang, J. B. Li, G. H. Huang, A. Chakma, and X. S. Qin; 7(2), 95-105 (2003).

Occurrence and Degradation of Estrogenic Nonylphenol and its Precursors in Northeast Kansas Wastewater Treatment Plants. — Heather Keller, Kang Xia, and Alok Bhandari; 7(4), 203-13 (2003).

System analysis

Systems Analysis of Pump-and-Treat Groundwater Remediation. — Thomas L. Theis, Denis M. O'Carroll, Dianne C. Vogel, Amy B. Lane, and Karen Collins; 7(3), 177-81 (2003).

Tailing

Geotechnical Study for Hydraulic Barrier System at Tailings Pond. — Manoj Datta; 7(3), 163-9 (2003).

Taiwan

Multicriteria Optimization for Infectious Medical Waste Collection System Planning. — Li-Hsing Shih and Yung-Teh Lin; 7(2), 78-85 (2003).

Uncertainty

Inexact Multiphase Modeling System for the Management of Subsurface Contamination under Uncertainty. — Imran Maqsood, Jian-Bing Li, and Guo H. Huang; 7(2), 86-94 (2003).

Numerical Simulation of Dual-Phase Vacuum Extraction to Remove Nonaqueous Phase Liquids in Subsurface. — Jian-Bing Li, G. H. Huang, Amit Chakma, and Guang-Ming Zeng; 7(2), 106-13 (2003).

Vitrification

Waste Immobilization Technologies. — Jay N. Meegoda, A. S. Ezeldin, Hsai-Yang Fang, and Hilary I. Inyang; 7(1), 46-58 (2003).

Waste management

Multiobjective Risk Analysis and Optimization of Regional Hazardous Waste Management System. — A. K. Nema and S. K. Gupta; 7(2), 69-77 (2003).

Multicriteria Optimization for Infectious Medical Waste Collection System Planning. — Li-Hsing Shih and Yung-Teh Lin; 7(2), 78-85 (2003).

Waste sites

Using the Analytic Hierarchy Process for Selecting an Appropriate Fate and Transport Model for Risk-Based Decision Making at Hazardous Waste Sites. — Venkatesh Uddameri; 7(2), 139-46 (2003).

Waste treatment

Waste Immobilization Technologies. — Jay N. Meegoda, A. S. Ezeldin, Hsai-Yang Fang, and Hilary I. Inyang; 7(1), 46-58 (2003).

Laboratory Pilot Test of Chromium (III) Isolation from Acid Extract of Tannery Sludge. — S. B. Shen, R. D. Tyagi, R. Y. Surampalli, and J. F. Blais; 7(1), 59-65 (2003).

Wastewater

Removal of Oil and Grease and Chemical Oxygen Demand from Oily Automotive Wastewater by Adsorption after Chemical De-emulsification. — Sherry A. Mueller, Byung R. Kim, James E. Anderson, Abizer Gaslightwala, Michael J. Szafranski, and William A. Gaines; 7(3), 156-62 (2003).

Wastewater treatment

Occurrence and Degradation of Estrogenic Nonylphenol and its Precursors in Northeast Kansas Wastewater Treatment Plants. — Heather Keller, Kang Xia, and Alok Bhandari; 7(4), 203-13 (2003).

Analytical Methods Used to Measure Endocrine Disrupting Compounds in Water. — S. Snyder, B. Vanderford, R. Pearson, O. Quiñones, and Y. Yoon; 7(4), 224-34 (2003).

Biological Wastewater Treatment and Estrogenic Endocrine Disrupting Compounds: Importance of Colloid Organic Carbon. — R. David Holbrook, Nancy G. Love, and John T. Novak; 7(4), 289-96 (2003).

Water pollution

Analytical Methods Used to Measure Endocrine Disrupting Compounds in Water. — S. Snyder, B. Vanderford, R. Pearson, O. Quiñones, and Y. Yoon; 7(4), 224-34 (2003).

Water quality

Endocrine Disruptors as a New Regulatory Endpoint. — J. Alan Roberson; 7(4), 235-40 (2003).

Water treatment

Occurrence of Endocrine-Disrupting and Other Wastewater Compounds during Water Treatment with Case Studies from Lincoln, Nebraska and Berlin, Germany. — Ingrid M. Verstraeten, Thomas Heberer, Jason R. Vogel, Thomas Speth, Sebastian Zuehlke, and Uwe Duenenbier; 7(4), 253-63 (2003).

Water treatment plants

Occurrence and Degradation of Estrogenic Nonylphenol and its Precursors in Northeast Kansas Wastewater Treatment Plants. — Heather Keller, Kang Xia, and Alok Bhandari; 7(4), 203-13 (2003).

Control of Total Chloro-s-Triazines in Conventional Drinking Water Treatment Plants. — C. D. Adams; 7(4), 281-8 (2003).

Wildlife

Occurrence and Effects of Endocrine Disrupting Chemicals in the Environment. — Yue-wern Huang, Dirac L. Twidwell, and Jason C. Elrod; 7(4), 241-52 (2003).

Author Index

Abdul-Wahab, Sabah A.

Statistical Prediction of Atmospheric Corrosion from Atmospheric-Pollution Parameters. — Sabah A. Abdul-Wahab; 7(3), 190-200 (2003).

Adams, C.

Endocrine Disrupting Chemicals in the Environment. — C. Adams and A. Bhandari; 7(4), 201 (2003).

Adams, C. D.

Control of Total Chloro-s-Triazines in Conventional Drinking Water Treatment Plants. — C. D. Adams; 7(4), 281-8 (2003).

Anderson, James E.

Removal of Oil and Grease and Chemical Oxygen Demand from Oily Automotive Wastewater by Adsorption after Chemical De-emulsification. — Sherry A. Mueller, Byung R. Kim, James E. Anderson, Abizer Gaslightwala, Michael J. Szafranski, and William A. Gaines; 7(3), 156-62 (2003).

Bhandari, A.

Endocrine Disrupting Chemicals in the Environment. — C. Adams and A. Bhandari; 7(4), 201 (2003).

Bhandari, Alok

Occurrence and Degradation of Estrogenic Non-ylphenol and its Precursors in Northeast Kansas Wastewater Treatment Plants. — Heather Keller, Kang Xia, and Alok Bhandari; 7(4), 203-13 (2003).

Birke, Volker

Design, Construction, and Operation of Tailored Permeable Reactive Barriers. — Volker Birke, Harald Burmeier, and Diana Rosenau; 7(4), 264-80 (2003).

Bishop, Paul L.

Stabilization/Solidification of High Mercury Wastes with Reactivated Carbon. — Jian Zhang and Paul L. Bishop; 7(1), 31-6 (2003).

Blais, J. F.

Laboratory Pilot Test of Chromium (III) Isolation from Acid Extract of Tannery Sludge. — S. B. Shen, R. D. Tyagi, R. Y. Surampalli, and J. F. Blais; 7(1), 59-65 (2003).

Burmeier, Harald

Design, Construction, and Operation of Tailored Permeable Reactive Barriers. — Volker Birke, Harald Burmeier, and Diana Rosenau; 7(4), 264-80 (2003).

Chakma, A.

Integrated Simulation-Optimization Approach for Real-Time Dynamic Modeling and Process Control of Surfactant-Enhanced Remediation at Petroleum-Contaminated Sites. — Y. F. Huang, J. B. Li, G. H. Huang, A. Chakma, and X. S. Qin; 7(2), 95-105 (2003).

Chakma, Amit

Numerical Simulation of Dual-Phase Vacuum Extraction to Remove Nonaqueous Phase Liquids in Subsurface. — Jian-Bing Li, G. H. Huang, Amit Chakma, and Guang-Ming Zeng; 7(2), 106-13 (2003).

Chang, E. E.

Adsorption-Desorption Rate of Nonpolar Volatile Organic Compounds onto Activated Carbon Exemplified by C_6H_6 and CCl_4 . — C. L. Chuang, P. C. Chiang, E. E. Chang, and C. P. Huang; 7(3), 148-55 (2003).

Chang, Ni-Bin

Planning, Design, and Management of Hazardous Waste Disposal by Environmental Systems Engineering Approach. — Ni-Bin Chang; 7(2), 67 (2003).

Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. I: Simulation Analysis. — Hung-Kl Yen, Ni-Bin Chang, and Tsair-Fuh Lin; 7(2), 114-30 (2003).

Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. II: Optimization Analysis. — Hung-Kl Yen and Ni-Bin Chang; 7(2), 131-8 (2003).

Chiang, P. C.

Adsorption-Desorption Rate of Nonpolar Volatile Organic Compounds onto Activated Carbon Exemplified by C_6H_6 and CCl_4 . — C. L. Chuang, P. C. Chiang, E. E. Chang, and C. P. Huang; 7(3), 148-55 (2003).

Chu, W.

Remediation of Contaminated Soils by Surfactant-Aided Soil Washing. — W. Chu; 7(1), 19-24 (2003).

Chuang, C. L.

Adsorption-Desorption Rate of Nonpolar Volatile Organic Compounds onto Activated Carbon Exemplified by C_6H_6 and CCl_4 . — C. L. Chuang, P. C. Chiang, E. E. Chang, and C. P. Huang; 7(3), 148-55 (2003).

Collins, Karen

Systems Analysis of Pump-and-Treat Groundwater Remediation. — Thomas L. Theis, Denis M. O'Carroll, Dianne C. Vogel, Amy B. Lane, and Karen Collins; 7(3), 177-81 (2003).

Datta, Manoj

Geotechnical Study for Hydraulic Barrier System at Tailings Pond. — Manoj Datta; 7(3), 163-9 (2003).

Duennbier, Uwe

Occurrence of Endocrine-Disrupting and Other Wastewater Compounds during Water Treatment with Case Studies from Lincoln, Nebraska and Berlin, Germany. — Ingrid M. Verstraeten, Thomas Heberer, Jason R. Vogel, Thomas Speth, Sebastian Zuehlke, and Uwe Duennbier; 7(4), 253-63 (2003).

Elrod, Jason C.

Occurrence and Effects of Endocrine Disrupting Chemicals in the Environment. — Yue-wern Huang, Dirac L. Twidwell, and Jason C. Elrod; 7(4), 241-52 (2003).

Ezeldin, A. S.

Waste Immobilization Technologies. — Jay N. Meegoda, A. S. Ezeldin, Hsai-Yang Fang, and Hilary I. Inyang; 7(1), 46-58 (2003).

Fairey, Julian L.

Total and Volatile Polyaromatic Hydrocarbon Losses during Aerobic Slurry Phase Biotreatment. — Julian L. Fairey and Raymond C. Loehr; 7(3), 182-9 (2003).

Fang, Hsai-Yang

Waste Immobilization Technologies. — Jay N. Meegoda, A. S. Ezeldin, Hsai-Yang Fang, and Hilary I. Inyang; 7(1), 46-58 (2003).

Gaines, William A.

Removal of Oil and Grease and Chemical Oxygen Demand from Oily Automotive Wastewater by Adsorption after Chemical De-emulsification. — Sherry A. Mueller, Byung R. Kim, James E. Anderson, Abizer Gaslightwala, Michael J. Szafranski, and William A. Gaines; 7(3), 156-62 (2003).

Gaslightwala, Abizer

Removal of Oil and Grease and Chemical Oxygen Demand from Oily Automotive Wastewater by Adsorption after Chemical De-emulsification. — Sherry A. Mueller, Byung R. Kim, James E. Anderson, Abizer Gaslightwala, Michael J. Szafranski, and William A. Gaines; 7(3), 156-62 (2003).

Gupta, S. K.

Multiobjective Risk Analysis and Optimization of Regional Hazardous Waste Management System. — A. K. Nema and S. K. Gupta; 7(2), 69-77 (2003).

Heberer, Thomas

Occurrence of Endocrine-Disrupting and Other Wastewater Compounds during Water Treatment with Case Studies from Lincoln, Nebraska and Berlin, Germany. — Ingrid M. Verstraeten, Thomas Heberer, Jason R. Vogel, Thomas Speth, Sebastian Zuehlke, and Uwe Duennbier; 7(4), 253-63 (2003).

Holbrook, R. David

Biological Wastewater Treatment and Estrogenic Endocrine Disrupting Compounds: Importance of Colloid Organic Carbon. — R. David Holbrook, Nancy G. Love, and John T. Novak; 7(4), 289-96 (2003).

Hu, Liming

Effect of Soil Stress on Cadmium Transport in Saturated Soils. — Irene M. C. Lo, Jianhong Zhang, Liming Hu, and Shanzhi Shu; 7(3), 170-6 (2003).

Huang, C. P.

Adsorption-Desorption Rate of Nonpolar Volatile Organic Compounds onto Activated Carbon Exemplified by C_6H_6 and CCl_4 . — C. L. Chuang, P. C. Chiang, E. E. Chang, and C. P. Huang; 7(3), 148-55 (2003).

Huang, G. H.

Integrated Simulation-Optimization Approach for Real-Time Dynamic Modeling and Process Control of Surfactant-Enhanced Remediation at Petroleum-Contaminated Sites. — Y. F. Huang, J. B. Li, G. H. Huang, A. Chakma, and X. S. Qin; 7(2), 95-105 (2003).

Numerical Simulation of Dual-Phase Vacuum Extraction to Remove Nonaqueous Phase Liquids in Subsurface. — Jian-Bing Li, G. H. Huang, Amit Chakma, and Guang-Ming Zeng; 7(2), 106-13 (2003).

Huang, Guo H.

Inexact Multiphase Modeling System for the Management of Subsurface Contamination under Uncertainty. — Imran Maqsood, Jian-Bing Li, and Guo H. Huang; 7(2), 86-94 (2003).

Huang, Y. F.

Integrated Simulation-Optimization Approach for Real-Time Dynamic Modeling and Process Control of Surfactant-Enhanced Remediation at Petroleum-Contaminated Sites. — Y. F. Huang, J. B. Li, G. H. Huang, A. Chakma, and X. S. Qin; 7(2), 95-105 (2003).

Huang, Yue-wern

Occurrence and Effects of Endocrine Disrupting Chemicals in the Environment. — Yue-wern Huang, Dirac L. Twidwell, and Jason C. Elrod; 7(4), 241-52 (2003).

Inyang, Hilary I.

Waste Immobilization Technologies. — Jay N. Meegoda, A. S. Ezeldin, Hsai-Yang Fang, and Hilary I. Inyang; 7(1), 46-58 (2003).

Keller, Heather

Occurrence and Degradation of Estrogenic Nonylphenol and its Precursors in Northeast Kansas Wastewater Treatment Plants. — Heather Keller, Kang Xia, and Alok Bhandari; 7(4), 203-13 (2003).

Kim, Byung R.

Removal of Oil and Grease and Chemical Oxygen Demand from Oily Automotive Wastewater by Adsorption after Chemical De-emulsification. — Sherry A. Mueller, Byung R. Kim, James E. Anderson, Abizer Gaslightwala, Michael J. Szafranski, and William A. Gaines; 7(3), 156-62 (2003).

Lane, Amy B.

Systems Analysis of Pump-and-Treat Groundwater Remediation. — Thomas L. Theis, Denis M. O'Carroll, Dianne C. Vogel, Amy B. Lane, and Karen Collins; 7(3), 177-81 (2003).

Li, J. B.

Integrated Simulation-Optimization Approach for Real-Time Dynamic Modeling and Process Control of Surfactant-Enhanced Remediation at Petroleum-Contaminated Sites. — Y. F. Huang, J. B. Li, G. H. Huang, A. Chakma, and X. S. Qin; 7(2), 95-105 (2003).

Li, Jian-Bing

Numerical Simulation of Dual-Phase Vacuum Extraction to Remove Nonaqueous Phase Liquids in Subsurface. — Jian-Bing Li, G. H. Huang, Amit Chakma, and Guang-Ming Zeng; 7(2), 106-13 (2003).

Li, Xiangdong

Analysis of Heavy Metal Contaminated Soils. — Coby S. C. Wong and Xiangdong Li; 7(1), 12-8 (2003).

Li, Jian-Bing

Inexact Multiphase Modeling System for the Management of Subsurface Contamination under Uncertainty. — Imran Maqsood, Jian-Bing Li, and Guo H. Huang; 7(2), 86-94 (2003).

Lin, Deng-Fong

Evaluation of Color Changes in Sewage Sludge Ash Brick by Using Image Analysis Method. — Huan-Lin Luo and Deng-Fong Lin; 7(4), 214-23 (2003).

Lin, Tsair-Fuh

Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. I: Simulation Analysis. — Hung-Kl Yen, Ni-Bin Chang, and Tsair-Fuh Lin; 7(2), 114-30 (2003).

Lin, Yung-Teh

Multicriteria Optimization for Infectious Medical Waste Collection System Planning. — Li-Hsing Shih and Yung-Teh Lin; 7(2), 78-85 (2003).

Lo, Irene

Innovative Remedial Technologies for Subsurface Contamination. — Irene Lo; 7(1), 2 (2003).

Lo, Irene M. C.

Effect of Soil Stress on Cadmium Transport in Saturated Soils. — Irene M. C. Lo, Jianhong Zhang, Liming Hu, and Shanzhi Shu; 7(3), 170-6 (2003).

Lo, Irene M.-C.

Innovative Waste Containment Barriers for Subsurface Pollution Control. — Irene M.-C. Lo; 7(1), 37-45 (2003).

Loehr, Raymond C.

Total and Volatile Polyaromatic Hydrocarbon Losses during Aerobic Slurry Phase Biotreatment. — Julian L. Fairey and Raymond C. Loehr; 7(3), 182-9 (2003).

Love, Nancy G.

Biological Wastewater Treatment and Estrogenic Endocrine Disrupting Compounds: Importance of Colloid Organic Carbon. — R. David Holbrook, Nancy G. Love, and John T. Novak; 7(4), 289-96 (2003).

Luo, Huan-Lin

Evaluation of Color Changes in Sewage Sludge Ash Brick by Using Image Analysis Method. — Huan-Lin Luo and Deng-Fong Lin; 7(4), 214-23 (2003).

Maqsood, Imran

Inexact Multiphase Modeling System for the Management of Subsurface Contamination under Uncertainty. — Imran Maqsood, Jian-Bing Li, and Guo H. Huang; 7(2), 86-94 (2003).

Meegoda, Jay N.

Waste Immobilization Technologies. — Jay N. Meegoda, A. S. Ezeldin, Hsai-Yang Fang, and Hilary I. Inyang; 7(1), 46-58 (2003).

Mueller, Sherry A.

Removal of Oil and Grease and Chemical Oxygen Demand from Oily Automotive Wastewater by Adsorption after Chemical De-emulsification. — Sherry A. Mueller, Byung R. Kim, James E. Anderson, Abizer Gaslightwala, Michael J. Szafranski, and William A. Gaines; 7(3), 156-62 (2003).

Nema, A. K.

Multiobjective Risk Analysis and Optimization of Regional Hazardous Waste Management System. — A. K. Nema and S. K. Gupta; 7(2), 69-77 (2003).

Novak, John T.

Biological Wastewater Treatment and Estrogenic Endocrine Disrupting Compounds: Importance of Colloid Organic Carbon. — R. David Holbrook, Nancy G. Love, and John T. Novak; 7(4), 289-96 (2003).

O'Carroll, Denis M.

Systems Analysis of Pump-and-Treat Groundwater Remediation. — Thomas L. Theis, Denis M. O'Carroll, Dianne C. Vogel, Amy B. Lane, and Karen Collins; 7(3), 177-81 (2003).

Pearson, R.

Analytical Methods Used to Measure Endocrine Disrupting Compounds in Water. — S. Snyder, B. Vanderford, R. Pearson, O. Quiñones, and Y. Yoon; 7(4), 224-34 (2003).

Qin, X. S.

Integrated Simulation-Optimization Approach for Real-Time Dynamic Modeling and Process Control of Surfactant-Enhanced Remediation at Petroleum-Contaminated Sites. — Y. F. Huang, J. B. Li, G. H. Huang, A. Chakma, and X. S. Qin; 7(2), 95-105 (2003).

Quiñones, O.

Analytical Methods Used to Measure Endocrine Disrupting Compounds in Water. — S. Snyder, B. Vanderford, R. Pearson, O. Quiñones, and Y. Yoon; 7(4), 224-34 (2003).

Roberson, J. Alan

Endocrine Disruptors as a New Regulatory Endpoint. — J. Alan Roberson; 7(4), 235-40 (2003).

Rosenau, Diana

Design, Construction, and Operation of Tailored Permeable Reactive Barriers. — Volker Birke, Harald Burmeier, and Diana Rosenau; 7(4), 264-80 (2003).

Rowe, R. K.

Detecting Landfill Leachate Contamination Using Soil Electrical Properties. — J. Q. Shang and R. K. Rowe; 7(1), 3-11 (2003).

Shang, J. Q.

Detecting Landfill Leachate Contamination Using Soil Electrical Properties. — J. Q. Shang and R. K. Rowe; 7(1), 3-11 (2003).

Shen, S. B.

Laboratory Pilot Test of Chromium (III) Isolation from Acid Extract of Tannery Sludge. — S. B. Shen, R. D. Tyagi, R. Y. Surampalli, and J. F. Blais; 7(1), 59-65 (2003).

Shih, Li-Hsing

Multicriteria Optimization for Infectious Medical Waste Collection System Planning. — Li-Hsing Shih and Yung-Teh Lin; 7(2), 78-85 (2003).

Shu, Shanzhi

Effect of Soil Stress on Cadmium Transport in Saturated Soils. — Irene M. C. Lo, Jianhong Zhang, Liming Hu, and Shanzhi Shu; 7(3), 170-6 (2003).

Snyder, S.

Analytical Methods Used to Measure Endocrine Disrupting Compounds in Water. — S. Snyder, B. Vanderford, R. Pearson, O. Quiñones, and Y. Yoon; 7(4), 224-34 (2003).

Speth, Thomas

Occurrence of Endocrine-Disrupting and Other Wastewater Compounds during Water Treatment with Case Studies from Lincoln, Nebraska and Berlin, Germany. — Ingrid M. Verstraeten, Thomas Heberer, Jason R. Vogel, Thomas Speth, Sebastian Zuehlke, and Uwe Duennbier; 7(4), 253-63 (2003).

Surampalli, R. Y.

Laboratory Pilot Test of Chromium (III) Isolation from Acid Extract of Tannery Sludge. — S. B. Shen, R. D. Tyagi, R. Y. Surampalli, and J. F. Blais; 7(1), 59-65 (2003).

Surampalli, Rao Y.

Editor's Note. — Rao Y. Surampalli; 7(1), 1 (2003).
Editor's Note. — Rao Y. Surampalli; 7(2), 68 (2003).

Editor's Note. — Rao Y. Surampalli; 7(3), 147 (2003).

Editor's Note. — Rao Y. Surampalli; 7(4), 202 (2003).

Szafranski, Michael J.

Removal of Oil and Grease and Chemical Oxygen Demand from Oily Automotive Wastewater by Adsorption after Chemical De-emulsification. — Sherry A. Mueller, Byung R. Kim, James E. Anderson, Abizer Gaslightwala, Michael J. Szafranski, and William A. Gaines; 7(3), 156-62 (2003).

Theis, Thomas L.

Systems Analysis of Pump-and-Treat Groundwater Remediation. — Thomas L. Theis, Denis M. O'Carroll, Dianne C. Vogel, Amy B. Lane, and Karen Collins; 7(3), 177-81 (2003).

Tu, Hung-Hsu

Removal of Trichloroethylene from Clay Soil by Series-Electrokinetic Process. — Chih-Huang Weng, Ching Yuan, and Hung-Hsu Tu; 7(1), 25-30 (2003).

Twidwell, Dirac L.

Occurrence and Effects of Endocrine Disrupting Chemicals in the Environment. — Yue-wern Huang, Dirac L. Twidwell, and Jason C. Elrod; 7(4), 241-52 (2003).

Tyagi, R. D.

Laboratory Pilot Test of Chromium (III) Isolation from Acid Extract of Tannery Sludge. — S. B. Shen, R. D. Tyagi, R. Y. Surampalli, and J. F. Blais; 7(1), 59-65 (2003).

Uddameri, Venkatesh

Using the Analytic Hierarchy Process for Selecting an Appropriate Fate and Transport Model for Risk-Based Decision Making at Hazardous Waste Sites. — Venkatesh Uddameri; 7(2), 139-46 (2003).

Vanderford, B.

Analytical Methods Used to Measure Endocrine Disrupting Compounds in Water. — S. Snyder, B. Vanderford, R. Pearson, O. Quiñones, and Y. Yoon; 7(4), 224-34 (2003).

Verstraeten, Ingrid M.

Occurrence of Endocrine-Disrupting and Other Wastewater Compounds during Water Treatment with Case Studies from Lincoln, Nebraska and Berlin, Germany. — Ingrid M. Verstraeten, Thomas Heberer, Jason R. Vogel, Thomas Speth, Sebastian Zuehlke, and Uwe Duennbier; 7(4), 253-63 (2003).

Vogel, Dianne C.

Systems Analysis of Pump-and-Treat Groundwater Remediation. — Thomas L. Theis, Denis M. O'Carroll, Dianne C. Vogel, Amy B. Lane, and Karen Collins; 7(3), 177-81 (2003).

Vogel, Jason R.

Occurrence of Endocrine-Disrupting and Other Wastewater Compounds during Water Treatment with Case Studies from Lincoln, Nebraska and Berlin, Germany. — Ingrid M. Verstraeten, Thomas Heberer, Jason R. Vogel, Thomas Speth, Sebastian Zuehlke, and Uwe Duennbier; 7(4), 253-63 (2003).

Weng, Chih-Huang

Removal of Trichloroethylene from Clay Soil by Series-Electrokinetic Process. — Chih-Huang Weng, Ching Yuan, and Hung-Hsu Tu; 7(1), 25-30 (2003).

Wong, Coby S. C.

Analysis of Heavy Metal Contaminated Soils. — Coby S. C. Wong and Xiangdong Li; 7(1), 12-8 (2003).

Xia, Kang

Occurrence and Degradation of Estrogenic Nonylphenol and its Precursors in Northeast Kansas Wastewater Treatment Plants. — Heather Keller, Kang Xia, and Alok Bhandari; 7(4), 203-13 (2003).

Yen, Hung-Ki

Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. I: Simulation Analysis. — Hung-Ki Yen, Ni-Bin Chang, and Tsair-Fuh Lin; 7(2), 114-30 (2003).

Bioslurping Model for Assessing Light Hydrocarbon Recovery in Contaminated Unconfined Aquifer. II: Optimization Analysis. — Hung-Ki Yen and Ni-Bin Chang; 7(2), 131-8 (2003).

Yoon, Y.

Analytical Methods Used to Measure Endocrine Disrupting Compounds in Water. — S. Snyder, B. Vanderford, R. Pearson, O. Quiñones, and Y. Yoon; 7(4), 224-34 (2003).

Yuan, Ching

Removal of Trichloroethylene from Clay Soil by Series-Electrokinetic Process. — Chih-Huang Weng, Ching Yuan, and Hung-Hsu Tu; 7(1), 25-30 (2003).

Zeng, Guang-Ming

Numerical Simulation of Dual-Phase Vacuum Extraction to Remove Nonaqueous Phase Liquids in Subsurface. — Jian-Bing Li, G. H. Huang, Amit Chakma, and Guang-Ming Zeng; 7(2), 106-13 (2003).

Zhang, Jian

Stabilization/Solidification of High Mercury Wastes with Reactivated Carbon. — Jian Zhang and Paul L. Bishop; 7(1), 31-6 (2003).

Zhang, Jianhong

Effect of Soil Stress on Cadmium Transport in Saturated Soils. — Irene M. C. Lo, Jianhong Zhang, Liming Hu, and Shanzhi Shu; 7(3), 170-6 (2003).

Zuehlke, Sebastian

Occurrence of Endocrine-Disrupting and Other Wastewater Compounds during Water Treatment with Case Studies from Lincoln, Nebraska and Berlin, Germany. — Ingrid M. Verstraeten, Thomas Heberer, Jason R. Vogel, Thomas Speth, Sebastian Zuehlke, and Uwe Duennbier; 7(4), 253-63 (2003).



